





## Sliding system cool feeling built on passion




ISO9001:2008认证

L011




L type top pivot

L012




L type top pivot

L013



L type fixing angle

L014



top pivot

L015




top pivot

L016




floor pivot



L017




top pivot with plate  
fixing to frame



L018





top pivot fixing to frame



L019




floor pivot






L021




L type top pivot

L025




L fixing connector with door stopper

L022




top pivot

L026




L fixing connector

L023




top pivot

L027




straight fixing connector

L024



bottom pivot

L028




door stopper, fixing to glass

L029




L fixing connector



L030




fixing connector floor to glass, adjustable



L031




door stopper, fixing to frame



L032



glass door bolt glass to floor




GC301



glass fixing connector  
wall to glass, one side angle adjustable

Art No.	Rob
GC301/52.5	52.5mm
GC301/60	60mm
GC301/82	82mm
GC301/103	103mm




GC302



glass fixing connector  
wall to glass, both side angle adjustable

Art No.	Rob
GC302/52.5	52.5mm
GC302/60	60mm
GC302/82	82mm
GC302/103	103mm




GC303



glass fixing connector  
glass to glass, double angle adjustable

Art No.	Rob
GC303/52.5	52.5mm
GC303/60	60mm
GC303/82	82mm
Gc303/103	103mm






GC304




glass fixing double connector  
glass to glass, angle adjustable



GC305





glass fixing connector  
wall to glass, angle not adjustable




GC306



glass fixing connector



ANGLE	LENGTH OF CONNECTING ROB IN MM			
	C			
	52.5	60	82	103
	A/B	A/B	A/B	A/B
90°	75.6	81	96.5	111.3
95°	60.2	65.3	80.5	94.5
100°	56.7	61.6	75.9	89.5
105°	53.4	58.2	72.1	85.3
110°	50.5	55.1	68.5	81.3
115°	47.8	51.8	65.3	77.7
120°	45.3	49.5	62.3	74.4
125°	42.8	47.1	59.5	71.4
130°	40.7	44.9	57	68.6
135°	38.7	42.8	54.7	66
180°	24.7	28.5	39.5	50



L031



fixing tooling, light duty


L032



fixing tooling, heavy duty




serial A for glass door



1.front mounting to brick wall or wood wall

2.front mounting to glass wall

- serial A for glass door  
standard one set kit use with tube bar include:
- 2 pcs track roller for glass door
  - 2 pcs roller stopper
  - 1 pc middle bracket
  - 2 pcs side bracket
  - 2 pcs tube stainless steel track bar,1meter
  - 1 pc door guide
  - 2 pcs tube end plug
- standard one set kit use with solid bar include:
- 2 pcs track roller for glass door
  - 2pcs roller stopper
  - 1 pc solid stainless steel track bar,2.1meter
  - 1 pc door guide




3. mounting to roof



TR01/25



track roller, for glass door,  
TR01/25 for 25mm bar




height adjustable +/-3mm

WB102




WB102/25,for 25mm bar  
WB102/19,for 19mm bar  
side bracket,fixing to wall,



TR01/19



track roller, for glass door,  
TR01/19 for 19mm bar




height adjustable +/-3mm

WB103




roof support for single door , WB103/25 for 25mm bar  
roof support for single door , WB103/19 for 19mm bar



WB101




WB101/25, for 25mm tube bar  
WB101 /19, for 19mm tube bar  
middle bracket,fixing to wall,




WB104



roof support for single door , WB104/25 for 25mm bar  
roof support for single door , WB104/19 for 19mm bar




WB105




WB105/25 for 25mm bar  
WB105/19 for 19mm bar  
middle roof support, for double door

WB108




WB108/25 for 25mm bar  
WB108/19 for 19mm bar  
tube end bracket, to wall

WB106




WB106/25 for 25mm bar  
WB106/19 for 19mm bar  
side roof support, for double door

WB109




WB109/25 for 25mm bar  
WB109/19 for 19mm bar  
middle bracket, fixing to glass

WB107



WB107/25 for 25mm bar  
WB107/19 for 19mm bar  
tube end plug

WB110




WB110/25 for 25mm bar  
WB110/19 for 19mm bar  
side bracket, fixing to glass



WB111



WB111/25  
WB111/19  
roller stopper





WB112



WB112/25  
WB112/19  
roller stopper


Serial A track bar instruction



WB113




WB113/R,for right side  
WB113/L,for left right  
glass door holder



WB114




glass door guide



WB115



WB115/25 for 25mm bar  
WB115/19 for 19mm bar  
bracket/support washer,for fixing against to wall/glass  
use for keeping level  
thickness:1mm/2mm/3mm



Complete with tube track bar

A	B	C(QTY)	D
2000	950	3	750~1000
2330	750	4	1000~1200

Capacity 80kgs


Complete with solid track bar

A	B	C(QTY)	D
2100	900	3	750~1000
2400	750	4	1000~1200
2600	750	4	1210~1400


Capacity 120kgs

Sliding door system use for glass door thickness 8-12mm  
A: track bar total long  
B: fixing point distance  
C: fixing point (use for counting quantity)  
D: door width(mm)

serial B for glass door




1. front mounting to brick wall or wood wall



2. front mounting to glass wall

serial B for glass door  
standard one set kit use with tube bar include:


- 2 pcs track roller for glass door
- 2 pcs roller stopper
- 4 pcs bracket
- 1 pc tube stainless steel track bar 2.2 meters
- 1 pc door guide
- 2 pcs tube end plug



3. mounting to roof








TR02/25  
TR02/19

track roller, for glass door, for 25 mm bar  
track roller, for glass door, for 19mm bar

WB203




roof support for double door ,  
WB203/25 for 25mm bar  
WB20319 for 19mm bar



WB201



WB201/25,for 25mm bar  
WB201/19,for 19mm bar  
fixing bracket to wall



WB107




WB017/25 for 25mm bar  
WB017/19 for 19mm bar  
tube end plug



WB202




WB202/25 for 25mm bar  
WB202/19 for 19mm bar  
fixing bracket to glass



WB111




WB111/25  
WB111/19  
roller stopper




WB114




glass door guide







TR04/19  
track roller, for glass door, for 19mm bar



TR04/25  
track roller, for glass door, for 25 mm bar



1.front mounting to brick wall or wood wall




2. mounting to roof

3. mounting to roof, double door




for wood door



1. front mounting to brick wall or wood wall


2. mounting to roof




3. front mounting and side mounting to brick wall or wood wall

4. front mounting and side mounting to brick wall or wood wall

for double door



5. mounting to roof




6. mounting to roof

serial C for wood door  
standard one set kit use with tube bar include:

- 2 pcs track roller for wood door
- 2 pcs roller stopper
- 1 pc middle bracket
- 2 pcs side bracket
- 2 pcs tube stainless steel track bar
- 1 pc door guide
- 2 pc tube end plug

standard one set kit use with solid bar include:


- 2 pcs track roller for wood door
- 2 pcs roller stopper
- 1 pc solid stainless steel track bar
- 1 pc door guide




TR03/25




for 25mm bar  
track roller, for wood door



PH201SS




PH202SS



TR03/19




for 19 mm bar  
track roller, for wood door



PH203SS




PH204SS



WB301




door guide for wood door






PH205SS




PH206SS





GL01




stainless steel lever handle for glass door  
1.glass door to wall frame  
2.glass door to glass panel



GL02




stainless steel lever handle for glass door  
with lock  
1.glass door to wall frame  
2.glass door to glass panel







GL04-1




stainless steel glass lock


GL04-2



stainless steel strike box





Left hand door




Right hand door


GL05-1



stainless steel glass lock





GL05-2



stainless steel strike box





GH01





lift off hinge for glass door  
stainless steel or Aluminium material available

GH02



lift off hinge for glass door  
stainless steel or Aluminium material available

GH03




lift off hinge for glass door  
stainless steel or Aluminium material available



GH04




lift off hinge for glass door  
stainlee steel or Aluminium material available



GH05




stainlee steel hinge for glass door



GH06




zinc alloy hinge for glass door



GL101




glass lock with handle,for sliding door  
1.glass door to wall frame  
2.glass door to glass panel




GL102



glass lock for sliding door  
1.glass door to wall frame  
2.glass door to glass panel




GL103





glass lock for swing door  
1.glass door to wall frame  
2.glass door to glass panel

GL104




glass lock for sliding door  
1.glass door to wall frame  
2.glass door to glass panel






GL105




stainless steel glass lock

GL106



stainless steel strike box

GL107





stainless steel strike box with stop







GL201

Art No.	Size
GL201/1200	1200mm
GL201/1500	1500mm
GL201/1800	1800mm
GL201/2000	2000mm
GL201/2400	2400mm

**Note:**  
• When order pls inform us handle for single door or double door  
• Cylinder can be changed





Single Door






Art No.	Size	C1	C2	L
GL201/1800	1800mm	925	725	1800
GL201/2000	2000mm	925	925	2000
GL201/2400	2400mm	1175	1075	2400

PC010





pivot hole option





bottom patch clamp

PC050





top patch clamp for upper glass wall mounting

PC020





top patch clamp

PC060





L shape top patch clamp

PC030





top patch clamp for upper glass

PC070





top patch clamp, three corner

PC040



top patch clamp for upper glass wall mounting


PC013




patch lock

# G.S.T.


## shower room




Wall to glass 90°



Glass to glass 90°



Glass to glass 180°



Glass to glass 135°









SHH-201

shower hinge  
wall to glass, 90 degree  
door weight 50 kg




SHH-204

shower hinge  
glass to glass, 90 degree  
door weight 50 kg




SHH-202

shower hinge  
glass to glass, 135 degree  
door weight 50 kg




SHH-205

shower hinge  
wall to glass, 90 degree  
door weight 50 kg




SHH-203

shower hinge  
glass to glass, 180 degree  
door weight 50 kg



SHH-206


shower glass clamp  
wall to glass, 90 degree






SHH-207

shower glass clamp  
wall to glass, 90 degree



SHH-212

shower hinge  
glass to glass, 135 degree  
door weight 50 kg




Glass cut-out top and bottom




SHH-208

shower glass clamp  
wall to glass, 90 degree



SHH-213

shower hinge  
glass to glass, 180 degree  
door weight 50 kg




Glass cut-out top and bottom



SHH-211

shower hinge  
wall to glass, 90 degree  
door weight 50 kg




Glass cut-out top and bottom




SHH-214

shower hinge  
glass to glass, 90 degree  
door weight 50 kg




Glass cut-out top and bottom



Glass cut-out top and bottom

**SHH-215**


shower hinge  
wall to glass, 90 degree  
door weight 50 kg



Glass cut-out top and bottom

**SHH-218**


shower glass clamp  
wall to glass, 90 degree



Glass cut-out top and bottom

**SHH-216**


shower glass clamp  
wall to glass, 90 degree



Glass cut-out top and bottom

**SHH-219**


shower hinge  
wall to glass, 90 degree  
door weight 50 kg



Glass cut-out top and bottom

**SHH-217**

shower glass clamp  
wall to glass, 90 degree



Glass cut-out top and bottom

**SHH-221**

shower hinge  
wall to glass, 90 degree  
door weight 50 kg




shower hinge

shower hinge




**SHH-222**  
shower hinge  
glass to glass, 135 degree  
door weight 50 kg



Glass cut-out top and bottom




**SHH-226**  
shower glass clamp  
glass to glass, 90 degree



Glass cut-out top and bottom




**SHH-223**  
shower hinge  
glass to glass, 180 degree  
door weight 50 kg



Glass cut-out top and bottom




**SHH-227**  
shower glass clamp  
glass to glass, 135 degree



Glass cut-out top and bottom




**SHH-224**  
shower hinge  
glass to glass, 90 degree  
door weight 50 kg



Glass cut-out top and bottom



**SHH-228**  
shower glass clamp  
glass to glass, 180 degree




Glass cut-out top and bottom



SHH-229

shower glass clamp  
wall to glass, 90 degree




Glass cut-out top and bottom



SHH-213AD

shower hinge  
glass to glass, 180 degree  
door weight 50 kg




Glass cut-out top and bottom



SHH-211AD

shower hinge  
wall to glass, 90 degree  
door weight 50 kg




Glass cut-out top and bottom



SHH-214AD

shower hinge  
glass to glass, 90 degree  
door weight 50 kg




Glass cut-out top and bottom



SHH-212AD

shower hinge  
glass to glass, 135 degree  
door weight 50 kg




Glass cut-out top and bottom




SHH-215AD

shower hinge  
wall to glass, 90 degree  
door weight 50 kg




Glass cut-out top and bottom




SHH-301

shower hinge  
wall to glass, 90 degree  
door weight 50 kg




SHH-304

shower hinge  
glass to glass, 90 degree  
door weight 50 kg




SHH-302

shower hinge  
glass to glass, 135 degree  
door weight 50 kg




SHH-305

shower hinge  
wall to glass, 90 degree  
door weight 50 kg



SHH-303

shower hinge  
glass to glass, 180 degree  
door weight 50 kg



SHH-306


shower clamp  
wall to glass, 90 degree  
door weight 50 kg






SHH-307

shower clamp  
wall to glass,90 degree  
door weight 50 kg




SHH-311

SHH-311  
shower hinge  
wall to glass, 90 degree  
door weight 50 kg




SHH-308

shower hinge  
wall to glass,90degree  
door weight 50 kg




SHH-312

shower hinge  
glass to glass, 135 degree  
door weight 50 kg




SHH-309

shower hinge  
wall to glass,135 degree  
door weight 50 kg



SHH-313


shower hinge  
glass to glass, 180 degree  
door weight 50 kg






SHH-314

shower hinge  
glass to glass, 90 degree  
door weight 50 kg




SHH-317

shower clamp  
wall to glass, 90 degree  
door weight 50 kg




SHH-315

shower hinge  
wall to glass, 90 degree  
door weight 50 kg



SHH-301AD

shower hinge  
wall to glass, 90 degree  
door weight 50 kg




Glass cut-out top and bottom




SHH-316

shower clamp  
wall to glass, 90 degree  
door weight 50 kg



SHH-302AD

shower hinge  
glass to glass, 135 degree  
door weight 50 kg




Glass cut-out top and bottom



SHH-303AD


shower hinge  
glass to glass, 180 degree  
door weight 50 kg



Glass cut-out top and bottom




SHH-402



SHH-304AD


shower hinge  
glass to glass, 90 degree  
door weight 50 kg




Glass cut-out top and bottom




SHH-403



SHH-401





SHH-404









SHH-405




SHH-406




SHH-409



SHH-407




SHH-410






SHH-411




SHH-414



Glass cut-out top and bottom



SHH-412




Glass cut-out top and bottom




SHH-501

shower hinge  
wall to glass, 90 degree  
door weight 50 kg



SHH-413




Glass cut-out top and bottom




SHH-502

shower hinge  
glass to glass, 135 degree  
door weight 50 kg







**SHH-503**  
shower hinge  
glass to glass, 180 degree  
door weight 50 kg




**SHH-513**  
shower hinge  
glass to glass, 180 degree  
door weight 50 kg




**SHH-511**  
shower hinge  
wall to glass, 90 degree  
door weight 50 kg




**SHH-514**  
shower hinge  
glass to glass, 90 degree  
door weight 50 kg



**SHH-512**  
shower hinge  
glass to glass, 135 degree  
door weight 50 kg




**SHH-521**  
shower hinge  
wall to glass, 90 degree  
door weight 50 kg









**SHH-522**  
shower hinge  
glass to glass, 135 degree  
door weight 50 kg




**SHH-606/R**  
**SHH-606/L**




**SHH-523**  
shower hinge  
glass to glass, 180 degree  
door weight 50 kg



**SHH-607/R**  
**SHH-607/L**




**SHH-605/R**  
**SHH-605/L**







**SHH-801**  
shower bracket  
wall to glass ,90 degree




**SHH-803**  
shower bracket  
wall to glass ,90 degree




**SHH-801S**  
shower bracket  
wall to glass ,90 degree




**SHH-804**  
shower bracket  
glass to glass ,135 degree



**SHH-802**  
shower bracket  
glass to glass ,90 degree




**SHH-805**  
shower bracket  
glass to glass ,180 degree







SHH-806

shower bracket  
glass to glass ,180 degree





SHH-812

shower bracket  
glass to glass ,90 degree





SHH-811

shower bracket  
wall to glass ,90 degree





SHH-813

shower bracket  
wall to glass ,90 degree





SHH-811S

shower bracket  
wall to glass ,90 degree



SHH-814


shower bracket  
glass to glass ,135 degree









**SHH-815**  
shower bracket  
glass to glass ,180 degree




**SHH-820S**




**SHH-816**  
shower bracket  
wall to glass ,180 degree




**SHH-821**



**SHH-820**




**SHH-822**








SHH-823



SHH-824



SHH-825




the new design rising shower hinge include with up-down mechanic system made in best plastic material  
with this new shower hinge, you can open ,  
close your glass door very easy.  
you don't need to have Mickey glass cut for the glass door  
as use for normal shower hinge, just need to drill two round holes  
because of the flat concealed fixing system ,  
you can clean the inside panel very easy and clean




SHH-601/R, right door  
SHH-601/L, left door

shower hinge  
wall to glass ,90 degree  
door weight 50 kg




SHH-604/R, right door  
SHH-604/L, left door

shower hinge  
glass to glass mounting 180 degree  
door weight 50 kg




SHH-602/R, right door  
SHH-602/L, left door

shower hinge  
wall to glass,90 degree,adjustable  
door weight 50 kg




SHH-605/R, right door  
SHH-605/L, left door

shower hinge  
glass to glass mounting 90 degree  
door weight 50 kg




SHH-603/R right door  
SHH-603/L left door

Shower hinge  
glass to glass , 135 degree  
door weight 50 kg



SHH-701/R, right door  
SHH-701/L, left door

shower hinge  
wall to glass , 90 degree  
door weight 50 kg













**SHH-702/R, right door**  
**SHH-702/L, left door**

shower hinge  
glass to glass , 135 degree  
door weight 50 kg





**SHH-703/R, right door**  
**SHH-703/L, left door**

shower hinge  
glass to glass, 180 degree  
door weight 50 kg



**SHH-704/R right door**  
**SHH-704/L left door**

Shower hinge  
glass to glass, 90 degree  
door weight 50 kg





SHH-607

brass shower cubic stabilizer  
suit for 18mm bar



SHH-608

brass shower cubic stabilizer  
suit for 18mm bar



SHH-609

brass shower cubic stabilizer  
suit for 18mm bar



SHH610

brass shower cubic stabilizer  
suit for 18mm bar



SHH611

brass shower cubic stabilizer  
suit for 18mm bar



SHH-612

brass shower cubic stabilizer



SHH-613

brass cubic corner hook



brass tube, dia 18mm

